RED HAT ENTEPRISE VIRTUALIZATION FOR DESKTOPS: THIN CLIENT HARDWARE COMPATIBILITY LIST

This hardware compatibility list details the vendor thin clients and operating systems that are officially supported and have been tested and certified by Red Hat or Red Hat partners, to be used with Red Hat Enterprise Virtualization for Desktops and the SPICE client.

WINDOWS EMBEDDED OPERATING SYSTEM SUPPORT MATRIX

Feature/Function	Windows CE	Windows XPe	WES 2009	WES 7
USB Redirection	No	√	√	√
CAC/SmartCard Authentication	No	√	√	√
SSL Tunneling	No	√	√	√
RDP	No	√	√	√
Web-Admin User Portal	No	√	√	√
User Portal/Self-Service Portal	No	√	√	√
Single Sign-On	No	√	√	√
Audio (speaker/output)	No	√	√	√
Audio (microphone/input)	No	√	√	√
Copy & Paste (clipboard)	No	√	√	√

WYSE TECHNOLOGY

Partner	Model	OS version	Supported Releases
Wyse	R90L	Windows XPe	RHEV 3.0
Wyse	R90LE	Windows XPe	RHEV 3.0
Wyse	R90LW	Windows Embedded Standard 2009	RHEV 3.0
Wyse	C90LEW	Windows Embedded Standard 2009	RHEV 3.0
Wyse	R90LEW	Windows Embedded Standard 2009	RHEV 3.0
Wyse	Z90SW	Windows Embedded Standard 2009	RHEV 3.0
Wyse	Z90DW	Windows Embedded Standard 2009	RHEV 3.0
Wyse	R90L7	Windows Embedded Standard 7	RHEV 3.0
Wyse	Z90S7	Windows Embedded Standard 7	RHEV 3.0
Wyse	Z90D7	Windows Embedded Standard 7	RHEV 3.0
Wyse	R50L	Wyse SUSE	RHEV 3.0
Wyse	R50LE	Wyse SUSE	RHEV 3.0

IGEL TECHNOLOGY

Partner	Model	OS version	Supported Releases
IGEL	UD3 - 130 LX	IGEL Linux	RHEV 2.2, RHEV 3.0
IGEL	UD3 - 430 LX	IGEL Linux	RHEV 2.2, RHEV 3.0
IGEL	UD3 - 730 LX	IGEL Linux	RHEV 2.2, RHEV 3.0
IGEL	UD3 - 130 ES	Windows Embedded Standard 2009	RHEV 2.2, RHEV 3.0
IGEL	UD3 - 430 ES	Windows Embedded Standard 2009	RHEV 2.2, RHEV 3.0
IGEL	UD3 - 730 ES	Windows Embedded Standard 2009	RHEV 2.2, RHEV 3.0
IGEL	UD5 - 130 LX	IGEL Linux	RHEV 2.2, RHEV 3.0
IGEL	UD5 - 430 LX	IGEL Linux	RHEV 2.2, RHEV 3.0
IGEL	UD5 - 730 LX	IGEL Linux	RHEV 2.2, RHEV 3.0
IGEL	UD5 - 130 ES	Windows Embedded Standard 2009	RHEV 2.2, RHEV 3.0
IGEL	UD5 - 430 ES	Windows Embedded Standard 2009	RHEV 2.2, RHEV 3.0
IGEL	UD5 - 730 ES	Windows Embedded Standard 2009	RHEV 2.2, RHEV 3.0
IGEL	UD5 - 730 W7	Windows Embedded Standard 7	RHEV 3.0

10ZIG TECHNOLOGY

Partner	Model	OS version	Supported Releases
10zig	5172v	10zig Linux	RHEV 3.0
10zig	5672v	10zig Linux	RHEV 3.0
10zig	6772v	10zig Linux	RHEV 3.0
10zig	5116v	Windows Embedded Standard 2009	RHEV 3.0
10zig	5616v	Windows Embedded Standard 2009	RHEV 3.0
10zig	5716v	Windows Embedded Standard 2009	RHEV 3.0
10zig	6616v (XTC-6000)	Windows Embedded Standard 2009	RHEV 3.0
10zig	5617v	Windows Embedded Standard 7	RHEV 3.0
10zig	6717v	Windows Embedded Standard 7	RHEV 3.0

SALES AND INQUIRIES

NORTH AMERICA
1-888-REDHAT1
www.redhat.com

EUROPE, MIDDLE EAST AND AFRICA
00800 7334 2835
www.europe.redhat.com
europe@redhat.com

ASIA PACIFIC
+65 6490 4200
www.apac.redhat.com
apac@redhat.com

LATIN AMERICA
+54 11 4329 7300
www.latam.redhat.com
info-latam@redhat.com

www.redhat.com
#9214447_0412
DOC74963

Copyright © 2012 Red Hat, Inc. Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, MetaMatrix, and RHCE are trademarks of Red Hat, Inc., registered in the U.S. and other countries. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.