

O'REILLY®

Hands-on Machine Learning with Scikit-Learn, Keras & TensorFlow

Concepts, Tools, and Techniques
to Build Intelligent Systems

powered by



2nd Edition
Updated for
TensorFlow 2



Free
Chapter

compliments of



Red Hat


Aurélien Géron



Open The Possibilities of Your Data

Enabling Artificial Intelligence and Machine
Learning Workloads on Red Hat Platforms

opendatahub.io



SECOND EDITION

Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow

*Concepts, Tools, and Techniques to
Build Intelligent Systems*

This excerpt contains Chapter 13 of the book *Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow*, 2nd Edition. The complete book is available through **O'Reilly Online Learning** and other retailers.

Aurélien Géron

Beijing • Boston • Farnham • Sebastopol • Tokyo

O'REILLY[®]

Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow

by Aurélien Géron

Copyright © 2019 Kiwisoft S.A.S. All rights reserved.

Printed in Canada.

Published by O'Reilly Media, Inc., 1005 Gravenstein Highway North, Sebastopol, CA 95472.

O'Reilly books may be purchased for educational, business, or sales promotional use. Online editions are also available for most titles (<http://oreilly.com>). For more information, contact our corporate/institutional sales department: 800-998-9938 or corporate@oreilly.com.

Editors: Rachel Roumeliotis and Nicole Tache

Production Editor: Kristen Brown

Copyeditor: Amanda Kersey

Proofreader: Rachel Head

Indexer: Judith McConville

Interior Designer: David Futato

Cover Designer: Karen Montgomery

Illustrator: Rebecca Demarest

September 2019: Second Edition

Revision History for the Second Edition

2019-09-05: First Release

2019-10-11: Second Release

See <http://oreilly.com/catalog/errata.csp?isbn=9781492032649> for release details.

The O'Reilly logo is a registered trademark of O'Reilly Media, Inc. *Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow*, the cover image, and related trade dress are trademarks of O'Reilly Media, Inc.

The views expressed in this work are those of the author, and do not represent the publisher's views. While the publisher and the author have used good faith efforts to ensure that the information and instructions contained in this work are accurate, the publisher and the author disclaim all responsibility for errors or omissions, including without limitation responsibility for damages resulting from the use of or reliance on this work. Use of the information and instructions contained in this work is at your own risk. If any code samples or other technology this work contains or describes is subject to open source licenses or the intellectual property rights of others, it is your responsibility to ensure that your use thereof complies with such licenses and/or rights.

This work is part of a collaboration between O'Reilly and Red Hat. See our [statement of editorial independence](#).

978-1-492-03264-9

[TI]

Table of Contents

1. Loading and Preprocessing Data with TensorFlow.....	1
The Data API	2
Chaining Transformations	3
Shuffling the Data	4
Preprocessing the Data	7
Putting Everything Together	8
Prefetching	9
Using the Dataset with tf.keras	11
The TFRecord Format	12
Compressed TFRecord Files	13
A Brief Introduction to Protocol Buffers	13
TensorFlow Protobufs	14
Loading and Parsing Examples	16
Handling Lists of Lists Using the SequenceExample Protobuf	17
Preprocessing the Input Features	18
Encoding Categorical Features Using One-Hot Vectors	19
Encoding Categorical Features Using Embeddings	21
Keras Preprocessing Layers	25
TF Transform	27
The TensorFlow Datasets (TFDS) Project	29
Exercises	30

Loading and Preprocessing Data with TensorFlow

So far we have used only datasets that fit in memory, but Deep Learning systems are often trained on very large datasets that will not fit in RAM. Ingesting a large dataset and preprocessing it efficiently can be tricky to implement with other Deep Learning libraries, but TensorFlow makes it easy thanks to the *Data API*: you just create a dataset object, and tell it where to get the data and how to transform it. TensorFlow takes care of all the implementation details, such as multithreading, queuing, batching, and prefetching. Moreover, the Data API works seamlessly with `tf.keras`!

Off the shelf, the Data API can read from text files (such as CSV files), binary files with fixed-size records, and binary files that use TensorFlow's TFRecord format, which supports records of varying sizes. TFRecord is a flexible and efficient binary format based on Protocol Buffers (an open source binary format). The Data API also has support for reading from SQL databases. Moreover, many open source extensions are available to read from all sorts of data sources, such as Google's BigQuery service.

Reading huge datasets efficiently is not the only difficulty: the data also needs to be preprocessed, usually normalized. Moreover, it is not always composed strictly of convenient numerical fields: there may be text features, categorical features, and so on. These need to be encoded, for example using one-hot encoding, bag-of-words encoding, or *embeddings* (as we will see, an embedding is a trainable dense vector that represents a category or token). One option to handle all this preprocessing is to write your own custom preprocessing layers. Another is to use the standard preprocessing layers provided by Keras.

In this chapter, we will cover the Data API, the TFRecord format, and how to create custom preprocessing layers and use the standard Keras ones. We will also take a quick look at a few related projects from TensorFlow's ecosystem:

TF Transform (tf.Transform)

Makes it possible to write a single preprocessing function that can be run in batch mode on your full training set, before training (to speed it up), and then exported to a TF Function and incorporated into your trained model so that once it is deployed in production it can take care of preprocessing new instances on the fly.

TF Datasets (TFDS)

Provides a convenient function to download many common datasets of all kinds, including large ones like ImageNet, as well as convenient dataset objects to manipulate them using the Data API.

So let's get started!

The Data API

The whole Data API revolves around the concept of a *dataset*: as you might suspect, this represents a sequence of data items. Usually you will use datasets that gradually read data from disk, but for simplicity let's create a dataset entirely in RAM using `tf.data.Dataset.from_tensor_slices()`:

```
>>> X = tf.range(10) # any data tensor
>>> dataset = tf.data.Dataset.from_tensor_slices(X)
>>> dataset
<TensorSliceDataset shapes: (), types: tf.int32>
```

The `from_tensor_slices()` function takes a tensor and creates a `tf.data.Dataset` whose elements are all the slices of `X` (along the first dimension), so this dataset contains 10 items: tensors 0, 1, 2, ..., 9. In this case we would have obtained the same dataset if we had used `tf.data.Dataset.range(10)`.

You can simply iterate over a dataset's items like this:

```
>>> for item in dataset:
...     print(item)
...
tf.Tensor(0, shape=(), dtype=int32)
tf.Tensor(1, shape=(), dtype=int32)
tf.Tensor(2, shape=(), dtype=int32)
[...]
tf.Tensor(9, shape=(), dtype=int32)
```

Chaining Transformations

Once you have a dataset, you can apply all sorts of transformations to it by calling its transformation methods. Each method returns a new dataset, so you can chain transformations like this (this chain is illustrated in [Figure 1-1](#)):

```
>>> dataset = dataset.repeat(3).batch(7)
>>> for item in dataset:
...     print(item)
...
tf.Tensor([0 1 2 3 4 5 6], shape=(7,), dtype=int32)
tf.Tensor([7 8 9 0 1 2 3], shape=(7,), dtype=int32)
tf.Tensor([4 5 6 7 8 9 0], shape=(7,), dtype=int32)
tf.Tensor([1 2 3 4 5 6 7], shape=(7,), dtype=int32)
tf.Tensor([8 9], shape=(2,), dtype=int32)
```




Figure 1-1. Chaining dataset transformations

In this example, we first call the `repeat()` method on the original dataset, and it returns a new dataset that will repeat the items of the original dataset three times. Of course, this will not copy all the data in memory three times! (If you call this method with no arguments, the new dataset will repeat the source dataset forever, so the code that iterates over the dataset will have to decide when to stop.) Then we call the `batch()` method on this new dataset, and again this creates a new dataset. This one will group the items of the previous dataset in batches of seven items. Finally, we iterate over the items of this final dataset. As you can see, the `batch()` method had to output a final batch of size two instead of seven, but you can call it with `drop_remainder=True` if you want it to drop this final batch so that all batches have the exact same size.



The dataset methods do *not* modify datasets, they create new ones, so make sure to keep a reference to these new datasets (e.g., with `dataset = ...`), or else nothing will happen.

You can also transform the items by calling the `map()` method. For example, this creates a new dataset with all items doubled:

```
>>> dataset = dataset.map(lambda x: x * 2) # Items: [0,2,4,6,8,10,12]
```

This function is the one you will call to apply any preprocessing you want to your data. Sometimes this will include computations that can be quite intensive, such as reshaping or rotating an image, so you will usually want to spawn multiple threads to speed things up: it's as simple as setting the `num_parallel_calls` argument. Note that the function you pass to the `map()` method must be convertible to a TF Function (see ???).

While the `map()` method applies a transformation to each item, the `apply()` method applies a transformation to the dataset as a whole. For example, the following code applies the `unbatch()` function to the dataset (this function is currently experimental, but it will most likely move to the core API in a future release). Each item in the new dataset will be a single-integer tensor instead of a batch of seven integers:

```
>>> dataset = dataset.apply(tf.data.experimental.unbatch()) # Items: 0,2,4,...
```

It is also possible to simply filter the dataset using the `filter()` method:

```
>>> dataset = dataset.filter(lambda x: x < 10) # Items: 0 2 4 6 8 0 2 4 6...
```

You will often want to look at just a few items from a dataset. You can use the `take()` method for that:

```
>>> for item in dataset.take(3):
...     print(item)
...
tf.Tensor(0, shape=(), dtype=int64)
tf.Tensor(2, shape=(), dtype=int64)
tf.Tensor(4, shape=(), dtype=int64)
```

Shuffling the Data

As you know, Gradient Descent works best when the instances in the training set are independent and identically distributed (see ???). A simple way to ensure this is to shuffle the instances, using the `shuffle()` method. It will create a new dataset that will start by filling up a buffer with the first items of the source dataset. Then, whenever it is asked for an item, it will pull one out randomly from the buffer and replace it with a fresh one from the source dataset, until it has iterated entirely through the source dataset. At this point it continues to pull out items randomly from the buffer

until it is empty. You must specify the buffer size, and it is important to make it large enough, or else shuffling will not be very effective.¹ Just don't exceed the amount of RAM you have, and even if you have plenty of it, there's no need to go beyond the dataset's size. You can provide a random seed if you want the same random order every time you run your program. For example, the following code creates and displays a dataset containing the integers 0 to 9, repeated 3 times, shuffled using a buffer of size 5 and a random seed of 42, and batched with a batch size of 7:

```
>>> dataset = tf.data.Dataset.range(10).repeat(3) # 0 to 9, three times
>>> dataset = dataset.shuffle(buffer_size=5, seed=42).batch(7)
>>> for item in dataset:
...     print(item)
...
tf.Tensor([0 2 3 6 7 9 4], shape=(7,), dtype=int64)
tf.Tensor([5 0 1 1 8 6 5], shape=(7,), dtype=int64)
tf.Tensor([4 8 7 1 2 3 0], shape=(7,), dtype=int64)
tf.Tensor([5 4 2 7 8 9 9], shape=(7,), dtype=int64)
tf.Tensor([3 6], shape=(2,), dtype=int64)
```



If you call `repeat()` on a shuffled dataset, by default it will generate a new order at every iteration. This is generally a good idea, but if you prefer to reuse the same order at each iteration (e.g., for tests or debugging), you can set `reshuffle_each_iteration=False`.

For a large dataset that does not fit in memory, this simple shuffling-buffer approach may not be sufficient, since the buffer will be small compared to the dataset. One solution is to shuffle the source data itself (for example, on Linux you can shuffle text files using the `shuf` command). This will definitely improve shuffling a lot! Even if the source data is shuffled, you will usually want to shuffle it some more, or else the same order will be repeated at each epoch, and the model may end up being biased (e.g., due to some spurious patterns present by chance in the source data's order). To shuffle the instances some more, a common approach is to split the source data into multiple files, then read them in a random order during training. However, instances located in the same file will still end up close to each other. To avoid this you can pick multiple files randomly and read them simultaneously, interleaving their records. Then on top of that you can add a shuffling buffer using the `shuffle()` method. If all this sounds like a lot of work, don't worry: the Data API makes all this possible in just a few lines of code. Let's see how to do this.

¹ Imagine a sorted deck of cards on your left: suppose you just take the top three cards and shuffle them, then pick one randomly and put it to your right, keeping the other two in your hands. Take another card on your left, shuffle the three cards in your hands and pick one of them randomly, and put it on your right. When you are done going through all the cards like this, you will have a deck of cards on your right: do you think it will be perfectly shuffled?

Interleaving lines from multiple files

First, let's suppose that you've loaded the California housing dataset, shuffled it (unless it was already shuffled), and split it into a training set, a validation set, and a test set. Then you split each set into many CSV files that each look like this (each row contains eight input features plus the target median house value):

```
MedInc,HouseAge,AveRooms,AveBedrms,Popul,AveOccup,Lat,Long,MedianHouseValue
3.5214,15.0,3.0499,1.1065,1447.0,1.6059,37.63,-122.43,1.442
5.3275,5.0,6.4900,0.9910,3464.0,3.4433,33.69,-117.39,1.687
3.1,29.0,7.5423,1.5915,1328.0,2.2508,38.44,-122.98,1.621
[...]
```

Let's also suppose `train_filepaths` contains the list of training file paths (and you also have `valid_filepaths` and `test_filepaths`):

```
>>> train_filepaths
['datasets/housing/my_train_00.csv', 'datasets/housing/my_train_01.csv', ...]
```

Alternatively, you could use file patterns; for example, `train_filepaths = "datasets/housing/my_train_*.csv"`. Now let's create a dataset containing only these file paths:

```
filepath_dataset = tf.data.Dataset.list_files(train_filepaths, seed=42)
```

By default, the `list_files()` function returns a dataset that shuffles the file paths. In general this is a good thing, but you can set `shuffle=False` if you do not want that for some reason.

Next, you can call the `interleave()` method to read from five files at a time and interleave their lines (skipping the first line of each file, which is the header row, using the `skip()` method):

```
n_readers = 5
dataset = filepath_dataset.interleave(
    lambda filepath: tf.data.TextLineDataset(filepath).skip(1),
    cycle_length=n_readers)
```

The `interleave()` method will create a dataset that will pull five file paths from the `filepath_dataset`, and for each one it will call the function you gave it (a lambda in this example) to create a new dataset (in this case a `TextLineDataset`). To be clear, at this stage there will be seven datasets in all: the `filepath_dataset`, the `interleave_dataset`, and the five `TextLineDatasets` created internally by the `interleave_dataset`. When we iterate over the `interleave_dataset`, it will cycle through these five `TextLineDatasets`, reading one line at a time from each until all datasets are out of items. Then it will get the next five file paths from the `filepath_dataset` and interleave them the same way, and so on until it runs out of file paths.



For interleaving to work best, it is preferable to have files of identical length; otherwise the ends of the longest files will not be interleaved.

By default, `interleave()` does not use parallelism; it just reads one line at a time from each file, sequentially. If you want it to actually read files in parallel, you can set the `num_parallel_calls` argument to the number of threads you want (note that the `map()` method also has this argument). You can even set it to `tf.data.experimental.AUTOTUNE` to make TensorFlow choose the right number of threads dynamically based on the available CPU (however, this is an experimental feature for now). Let's look at what the dataset contains now:

```
>>> for line in dataset.take(5):
...     print(line.numpy())
...
b'4.2083,44.0,5.3232,0.9171,846.0,2.3370,37.47,-122.2,2.782'
b'4.1812,52.0,5.7013,0.9965,692.0,2.4027,33.73,-118.31,3.215'
b'3.6875,44.0,4.5244,0.9930,457.0,3.1958,34.04,-118.15,1.625'
b'3.3456,37.0,4.5140,0.9084,458.0,3.2253,36.67,-121.7,2.526'
b'3.5214,15.0,3.0499,1.1065,1447.0,1.6059,37.63,-122.43,1.442'
```

These are the first rows (ignoring the header row) of five CSV files, chosen randomly. Looks good! But as you can see, these are just byte strings; we need to parse them and scale the data.

Preprocessing the Data

Let's implement a small function that will perform this preprocessing:

```
X_mean, X_std = [...] # mean and scale of each feature in the training set
n_inputs = 8

def preprocess(line):
    defs = [0.] * n_inputs + [tf.constant([], dtype=tf.float32)]
    fields = tf.io.decode_csv(line, record_defaults=defs)
    x = tf.stack(fields[:-1])
    y = tf.stack(fields[-1:])
    return (x - X_mean) / X_std, y
```

Let's walk through this code:

- First, the code assumes that we have precomputed the mean and standard deviation of each feature in the training set. `X_mean` and `X_std` are just 1D tensors (or NumPy arrays) containing eight floats, one per input feature.
- The `preprocess()` function takes one CSV line and starts by parsing it. For this it uses the `tf.io.decode_csv()` function, which takes two arguments: the first is

the line to parse, and the second is an array containing the default value for each column in the CSV file. This array tells TensorFlow not only the default value for each column, but also the number of columns and their types. In this example, we tell it that all feature columns are floats and that missing values should default to 0, but we provide an empty array of type `tf.float32` as the default value for the last column (the target): the array tells TensorFlow that this column contains floats, but that there is no default value, so it will raise an exception if it encounters a missing value.

- The `decode_csv()` function returns a list of scalar tensors (one per column), but we need to return 1D tensor arrays. So we call `tf.stack()` on all tensors except for the last one (the target): this will stack these tensors into a 1D array. We then do the same for the target value (this makes it a 1D tensor array with a single value, rather than a scalar tensor).
- Finally, we scale the input features by subtracting the feature means and then dividing by the feature standard deviations, and we return a tuple containing the scaled features and the target.

Let's test this preprocessing function:

```
>>> preprocess(b'4.2083,44.0,5.3232,0.9171,846.0,2.3370,37.47,-122.2,2.782')
<tf.Tensor: id=6227, shape=(8,), dtype=float32, numpy=
array([ 0.16579159,  1.216324  , -0.05204564, -0.39215982, -0.5277444  ,
        -0.2633488  ,  0.8543046  , -1.3072058  ], dtype=float32)>,
<tf.Tensor: [...], numpy=array([2.782], dtype=float32)>
```

Looks good! We can now apply the function to the dataset.

Putting Everything Together

To make the code reusable, let's put together everything we have discussed so far into a small helper function: it will create and return a dataset that will efficiently load California housing data from multiple CSV files, preprocess it, shuffle it, optionally repeat it, and batch it (see [Figure 1-2](#)):

```
def csv_reader_dataset(filepaths, repeat=1, n_readers=5,
                       n_read_threads=None, shuffle_buffer_size=10000,
                       n_parse_threads=5, batch_size=32):
    dataset = tf.data.Dataset.list_files(filepaths)
    dataset = dataset.interleave(
        lambda filepath: tf.data.TextLineDataset(filepath).skip(1),
        cycle_length=n_readers, num_parallel_calls=n_read_threads)
    dataset = dataset.map(preprocess, num_parallel_calls=n_parse_threads)
    dataset = dataset.shuffle(shuffle_buffer_size).repeat(repeat)
    return dataset.batch(batch_size).prefetch(1)
```

Everything should make sense in this code, except the very last line (`prefetch(1)`), which is important for performance.




Figure 1-2. Loading and preprocessing data from multiple CSV files

Prefetching

By calling `prefetch(1)` at the end, we are creating a dataset that will do its best to always be one batch ahead.² In other words, while our training algorithm is working on one batch, the dataset will already be working in parallel on getting the next batch ready (e.g., reading the data from disk and preprocessing it). This can improve performance dramatically, as is illustrated in Figure 1-3. If we also ensure that loading and preprocessing are multithreaded (by setting `num_parallel_calls` when calling `interleave()` and `map()`), we can exploit multiple cores on the CPU and hopefully make preparing one batch of data shorter than running a training step on the GPU: this way the GPU will be almost 100% utilized (except for the data transfer time from the CPU to the GPU³), and training will run much faster.

² In general, just prefetching one batch is fine, but in some cases you may need to prefetch a few more. Alternatively, you can let TensorFlow decide automatically by passing `tf.data.experimental.AUTOTUNE` (this is an experimental feature for now).

³ But check out the `tf.data.experimental.prefetch_to_device()` function, which can prefetch data directly to the GPU.




Figure 1-3. With prefetching, the CPU and the GPU work in parallel: as the GPU works on one batch, the CPU works on the next



If you plan to purchase a GPU card, its processing power and its memory size are of course very important (in particular, a large amount of RAM is crucial for computer vision). Just as important to get good performance is its *memory bandwidth*; this is the number of gigabytes of data it can get into or out of its RAM per second.

If the dataset is small enough to fit in memory, you can significantly speed up training by using the dataset’s `cache()` method to cache its content to RAM. You should generally do this after loading and preprocessing the data, but before shuffling, repeating, batching, and prefetching. This way, each instance will only be read and preprocessed once (instead of once per epoch), but the data will still be shuffled differently at each epoch, and the next batch will still be prepared in advance.

You now know how to build efficient input pipelines to load and preprocess data from multiple text files. We have discussed the most common dataset methods, but there are a few more you may want to look at: `concatenate()`, `zip()`, `window()`, `reduce()`, `shard()`, `flat_map()`, and `padded_batch()`. There are also a couple more

class methods: `from_generator()` and `from_tensors()`, which create a new dataset from a Python generator or a list of tensors, respectively. Please check the API documentation for more details. Also note that there are experimental features available in `tf.data.experimental`, many of which will likely make it to the core API in future releases (e.g., check out the `CsvDataset` class, as well as the `make_csv_dataset()` method, which takes care of inferring the type of each column).

Using the Dataset with `tf.keras`

Now we can use the `csv_reader_dataset()` function to create a dataset for the training set. Note that we do not need to repeat it, as this will be taken care of by `tf.keras`. We also create datasets for the validation set and the test set:

```
train_set = csv_reader_dataset(train_filepaths)
valid_set = csv_reader_dataset(valid_filepaths)
test_set = csv_reader_dataset(test_filepaths)
```

And now we can simply build and train a Keras model using these datasets.⁴ All we need to do is pass the training and validation datasets to the `fit()` method, instead of `X_train`, `y_train`, `X_valid`, and `y_valid`:⁵

```
model = keras.models.Sequential([...])
model.compile([...])
model.fit(train_set, epochs=10, validation_data=valid_set)
```

Similarly, we can pass a dataset to the `evaluate()` and `predict()` methods:

```
model.evaluate(test_set)
new_set = test_set.take(3).map(lambda X, y: X) # pretend we have 3 new instances
model.predict(new_set) # a dataset containing new instances
```

Unlike the other sets, the `new_set` will usually not contain labels (if it does, Keras will ignore them). Note that in all these cases, you can still use NumPy arrays instead of datasets if you want (but of course they need to have been loaded and preprocessed first).

If you want to build your own custom training loop, you can just iterate over the training set, very naturally:

```
for X_batch, y_batch in train_set:
    [...] # perform one Gradient Descent step
```

⁴ Support for datasets is specific to `tf.keras`; this will not work in other implementations of the Keras API.

⁵ The `fit()` method will take care of repeating the training dataset. Alternatively, you could call `repeat()` on the training dataset so that it repeats forever and specify the `steps_per_epoch` argument when calling the `fit()` method. This may be useful in some rare cases, for example if you want to use a shuffle buffer that crosses over epochs.

In fact, it is even possible to create a TF Function that performs the whole training loop:

```
@tf.function
def train(model, optimizer, loss_fn, n_epochs, [...]):
    train_set = csv_reader_dataset(train_filepaths, repeat=n_epochs, [...])
    for X_batch, y_batch in train_set:
        with tf.GradientTape() as tape:
            y_pred = model(X_batch)
            main_loss = tf.reduce_mean(loss_fn(y_batch, y_pred))
            loss = tf.add_n([main_loss] + model.losses)
            grads = tape.gradient(loss, model.trainable_variables)
            optimizer.apply_gradients(zip(grads, model.trainable_variables))
```

Congratulations, you now know how to build powerful input pipelines using the Data API! However, so far we have used CSV files, which are common, simple, and convenient but not really efficient, and do not support large or complex data structures (such as images or audio) very well. So let's see how to use TFRecords instead.



If you are happy with CSV files (or whatever other format you are using), you do not *have* to use TFRecords. As the saying goes, if it ain't broke, don't fix it! TFRecords are useful when the bottleneck during training is loading and parsing the data.

The TFRecord Format

The TFRecord format is TensorFlow's preferred format for storing large amounts of data and reading it efficiently. It is a very simple binary format that just contains a sequence of binary records of varying sizes (each record is comprised of a length, a CRC checksum to check that the length was not corrupted, then the actual data, and finally a CRC checksum for the data). You can easily create a TFRecord file using the `tf.io.TFRecordWriter` class:

```
with tf.io.TFRecordWriter("my_data.tfrecord") as f:
    f.write(b"This is the first record")
    f.write(b"And this is the second record")
```

And you can then use a `tf.data.TFRecordDataset` to read one or more TFRecord files:

```
filepaths = ["my_data.tfrecord"]
dataset = tf.data.TFRecordDataset(filepaths)
for item in dataset:
    print(item)
```

This will output:

```
tf.Tensor(b'This is the first record', shape=(), dtype=string)
tf.Tensor(b'And this is the second record', shape=(), dtype=string)
```



By default, a `TFRecordDataset` will read files one by one, but you can make it read multiple files in parallel and interleave their records by setting `num_parallel_reads`. Alternatively, you could obtain the same result by using `list_files()` and `interleave()` as we did earlier to read multiple CSV files.

Compressed TFRecord Files

It can sometimes be useful to compress your TFRecord files, especially if they need to be loaded via a network connection. You can create a compressed TFRecord file by setting the `options` argument:

```
options = tf.io.TFRecordOptions(compression_type="GZIP")
with tf.io.TFRecordWriter("my_compressed.tfrecord", options) as f:
    [...]
```

When reading a compressed TFRecord file, you need to specify the compression type:

```
dataset = tf.data.TFRecordDataset(["my_compressed.tfrecord"],
                                   compression_type="GZIP")
```

A Brief Introduction to Protocol Buffers

Even though each record can use any binary format you want, TFRecord files usually contain serialized protocol buffers (also called *protobufs*). This is a portable, extensible, and efficient binary format developed at Google back in 2001 and made open source in 2008; protobufs are now widely used, in particular in `gRPC`, Google's remote procedure call system. They are defined using a simple language that looks like this:

```
syntax = "proto3";
message Person {
  string name = 1;
  int32 id = 2;
  repeated string email = 3;
}
```

This definition says we are using version 3 of the protobuf format, and it specifies that each `Person` object⁶ may (optionally) have a `name` of type `string`, an `id` of type `int32`, and zero or more `email` fields, each of type `string`. The numbers 1, 2, and 3 are the field identifiers: they will be used in each record's binary representation. Once you have a definition in a `.proto` file, you can compile it. This requires `protoc`, the protobuf compiler, to generate access classes in Python (or some other language). Note that the protobuf definitions we will use have already been compiled for you, and their Python classes are part of TensorFlow, so you will not need to use `protoc`.

⁶ Since protobuf objects are meant to be serialized and transmitted, they are called *messages*.

All you need to know is how to use protobuf access classes in Python. To illustrate the basics, let's look at a simple example that uses the access classes generated for the Person protobuf (the code is explained in the comments):

```
>>> from person_pb2 import Person # import the generated access class
>>> person = Person(name="Al", id=123, email=["a@b.com"]) # create a Person
>>> print(person) # display the Person
name: "Al"
id: 123
email: "a@b.com"
>>> person.name # read a field
"Al"
>>> person.name = "Alice" # modify a field
>>> person.email[0] # repeated fields can be accessed like arrays
"a@b.com"
>>> person.email.append("c@d.com") # add an email address
>>> s = person.SerializeToString() # serialize the object to a byte string
>>> s
b'\n\x05Alice\x10{\x1a\x07a@b.com\x1a\x07c@d.com'
>>> person2 = Person() # create a new Person
>>> person2.ParseFromString(s) # parse the byte string (27 bytes long)
27
>>> person == person2 # now they are equal
True
```

In short, we import the Person class generated by protoc, we create an instance and play with it, visualizing it and reading and writing some fields, then we serialize it using the `SerializeToString()` method. This is the binary data that is ready to be saved or transmitted over the network. When reading or receiving this binary data, we can parse it using the `ParseFromString()` method, and we get a copy of the object that was serialized.⁷

We could save the serialized Person object to a TFRecord file, then we could load and parse it: everything would work fine. However, `SerializeToString()` and `ParseFromString()` are not TensorFlow operations (and neither are the other operations in this code), so they cannot be included in a TensorFlow Function (except by wrapping them in a `tf.py_function()` operation, which would make the code slower and less portable). Fortunately, TensorFlow does include special protobuf definitions for which it provides parsing operations.

TensorFlow Protobufs

The main protobuf typically used in a TFRecord file is the Example protobuf, which represents one instance in a dataset. It contains a list of named features, where each

⁷ This chapter contains the bare minimum you need to know about protobufs to use TFRecords. To learn more about protobufs, please visit <https://homl.info/protobuf>.

feature can either be a list of byte strings, a list of floats, or a list of integers. Here is the protobuf definition:

```
syntax = "proto3";
message BytesList { repeated bytes value = 1; }
message FloatList { repeated float value = 1 [packed = true]; }
message Int64List { repeated int64 value = 1 [packed = true]; }
message Feature {
  oneof kind {
    BytesList bytes_list = 1;
    FloatList float_list = 2;
    Int64List int64_list = 3;
  }
};
message Features { map<string, Feature> feature = 1; };
message Example { Features features = 1; };
```

The definitions of `BytesList`, `FloatList`, and `Int64List` are straightforward enough. Note that `[packed = true]` is used for repeated numerical fields, for a more efficient encoding. A `Feature` contains either a `BytesList`, a `FloatList`, or an `Int64List`. A `Features` (with an `s`) contains a dictionary that maps a feature name to the corresponding feature value. And finally, an `Example` contains only a `Features` object.⁸ Here is how you could create a `tf.train.Example` representing the same person as earlier and write it to a `TFRecord` file:

```
from tensorflow.train import BytesList, FloatList, Int64List
from tensorflow.train import Feature, Features, Example

person_example = Example(
    features=Features(
        feature={
            "name": Feature(bytes_list=BytesList(value=[b"Alice"])),
            "id": Feature(int64_list=Int64List(value=[123])),
            "emails": Feature(bytes_list=BytesList(value=[b"a@b.com",
                b"c@d.com"]))
        })
    ))
```

The code is a bit verbose and repetitive, but it's rather straightforward (and you could easily wrap it inside a small helper function). Now that we have an `Example` protobuf, we can serialize it by calling its `SerializeToString()` method, then write the resulting data to a `TFRecord` file:

```
with tf.io.TFRecordWriter("my_contacts.tfrecord") as f:
    f.write(person_example.SerializeToString())
```

⁸ Why was `Example` even defined, since it contains no more than a `Features` object? Well, TensorFlow's developers may one day decide to add more fields to it. As long as the new `Example` definition still contains the `features` field, with the same ID, it will be backward compatible. This extensibility is one of the great features of protobufs.

Normally you would write much more than one Example! Typically, you would create a conversion script that reads from your current format (say, CSV files), creates an Example protobuf for each instance, serializes them, and saves them to several TFRecord files, ideally shuffling them in the process. This requires a bit of work, so once again make sure it is really necessary (perhaps your pipeline works fine with CSV files).

Now that we have a nice TFRecord file containing a serialized Example, let's try to load it.

Loading and Parsing Examples

To load the serialized Example protobufs, we will use a `tf.data.TFRecordDataset` once again, and we will parse each Example using `tf.io.parse_single_example()`. This is a TensorFlow operation, so it can be included in a TF Function. It requires at least two arguments: a string scalar tensor containing the serialized data, and a description of each feature. The description is a dictionary that maps each feature name to either a `tf.io.FixedLenFeature` descriptor indicating the feature's shape, type, and default value, or a `tf.io.VarLenFeature` descriptor indicating only the type (if the length of the feature's list may vary, such as for the "emails" feature).

The following code defines a description dictionary, then it iterates over the TFRecord Dataset and parses the serialized Example protobuf this dataset contains:

```
feature_description = {
    "name": tf.io.FixedLenFeature([], tf.string, default_value=""),
    "id": tf.io.FixedLenFeature([], tf.int64, default_value=0),
    "emails": tf.io.VarLenFeature(tf.string),
}

for serialized_example in tf.data.TFRecordDataset(["my_contacts.tfrecord"]):
    parsed_example = tf.io.parse_single_example(serialized_example,
                                                feature_description)
```

The fixed-length features are parsed as regular tensors, but the variable-length features are parsed as sparse tensors. You can convert a sparse tensor to a dense tensor using `tf.sparse.to_dense()`, but in this case it is simpler to just access its values:

```
>>> tf.sparse.to_dense(parsed_example["emails"], default_value=b"")
<tf.Tensor: [...] dtype=string, numpy=array([b'a@b.com', b'c@d.com'], [...])>
>>> parsed_example["emails"].values
<tf.Tensor: [...] dtype=string, numpy=array([b'a@b.com', b'c@d.com'], [...])>
```

A `BytesList` can contain any binary data you want, including any serialized object. For example, you can use `tf.io.encode_jpeg()` to encode an image using the JPEG format and put this binary data in a `BytesList`. Later, when your code reads the TFRecord, it will start by parsing the Example, then it will need to call `tf.io.decode_jpeg()` to parse the data and get the original image (or you can use

`tf.io.decode_image()`, which can decode any BMP, GIF, JPEG, or PNG image). You can also store any tensor you want in a `ByteList` by serializing the tensor using `tf.io.serialize_tensor()` then putting the resulting byte string in a `ByteList` feature. Later, when you parse the `TFRecord`, you can parse this data using `tf.io.parse_tensor()`.

Instead of parsing examples one by one using `tf.io.parse_single_example()`, you may want to parse them batch by batch using `tf.io.parse_example()`:

```
dataset = tf.data.TFRecordDataset(["my_contacts.tfrecord"]).batch(10)
for serialized_examples in dataset:
    parsed_examples = tf.io.parse_example(serialized_examples,
                                         feature_description)
```

As you can see, the `Example` protobuf will probably be sufficient for most use cases. However, it may be a bit cumbersome to use when you are dealing with lists of lists. For example, suppose you want to classify text documents. Each document may be represented as a list of sentences, where each sentence is represented as a list of words. And perhaps each document also has a list of comments, where each comment is represented as a list of words. There may be some contextual data too, such as the document's author, title, and publication date. TensorFlow's `SequenceExample` protobuf is designed for such use cases.

Handling Lists of Lists Using the `SequenceExample` Protobuf

Here is the definition of the `SequenceExample` protobuf:

```
message FeatureList { repeated Feature feature = 1; };
message FeatureLists { map<string, FeatureList> feature_list = 1; };
message SequenceExample {
    Features context = 1;
    FeatureLists feature_lists = 2;
};
```

A `SequenceExample` contains a `Features` object for the contextual data and a `FeatureLists` object that contains one or more named `FeatureList` objects (e.g., a `FeatureList` named "content" and another named "comments"). Each `FeatureList` contains a list of `Feature` objects, each of which may be a list of byte strings, a list of 64-bit integers, or a list of floats (in this example, each `Feature` would represent a sentence or a comment, perhaps in the form of a list of word identifiers). Building a `SequenceExample`, serializing it, and parsing it is similar to building, serializing, and parsing an `Example`, but you must use `tf.io.parse_single_sequence_example()` to parse a single `SequenceExample` or `tf.io.parse_sequence_example()` to parse a batch. Both functions return a tuple containing the context features (as a dictionary) and the feature lists (also as a dictionary). If the feature lists contain sequences of

varying sizes (as in the preceding example), you may want to convert them to ragged tensors, using `tf.RaggedTensor.from_sparse()` (see the notebook for the full code):

```
parsed_context, parsed_feature_lists = tf.io.parse_single_sequence_example(
    serialized_sequence_example, context_feature_descriptions,
    sequence_feature_descriptions)
parsed_content = tf.RaggedTensor.from_sparse(parsed_feature_lists["content"])
```

Now that you know how to efficiently store, load, and parse data, the next step is to prepare it so that it can be fed to a neural network.

Preprocessing the Input Features

Preparing your data for a neural network requires converting all features into numerical features, generally normalizing them, and more. In particular, if your data contains categorical features or text features, they need to be converted to numbers. This can be done ahead of time when preparing your data files, using any tool you like (e.g., NumPy, pandas, or Scikit-Learn). Alternatively, you can preprocess your data on the fly when loading it with the Data API (e.g., using the dataset's `map()` method, as we saw earlier), or you can include a preprocessing layer directly in your model. Let's look at this last option now.

For example, here is how you can implement a standardization layer using a Lambda layer. For each feature, it subtracts the mean and divides by its standard deviation (plus a tiny smoothing term to avoid division by zero):

```
means = np.mean(X_train, axis=0, keepdims=True)
stds = np.std(X_train, axis=0, keepdims=True)
eps = keras.backend.epsilon()
model = keras.models.Sequential([
    keras.layers.Lambda(lambda inputs: (inputs - means) / (stds + eps)),
    [...] # other layers
])
```

That's not too hard! However, you may prefer to use a nice self-contained custom layer (much like Scikit-Learn's `StandardScaler`), rather than having global variables like `means` and `stds` dangling around:

```
class Standardization(keras.layers.Layer):
    def adapt(self, data_sample):
        self.means_ = np.mean(data_sample, axis=0, keepdims=True)
        self.stds_ = np.std(data_sample, axis=0, keepdims=True)
    def call(self, inputs):
        return (inputs - self.means_) / (self.stds_ + keras.backend.epsilon())
```

Before you can use this standardization layer, you will need to adapt it to your dataset by calling the `adapt()` method and passing it a data sample. This will allow it to use the appropriate mean and standard deviation for each feature:

```
std_layer = Standardization()
std_layer.adapt(data_sample)
```

This sample must be large enough to be representative of your dataset, but it does not have to be the full training set: in general, a few hundred randomly selected instances will suffice (however, this depends on your task). Next, you can use this preprocessing layer like a normal layer:

```
model = keras.Sequential()
model.add(std_layer)
[...] # create the rest of the model
model.compile([...])
model.fit([...])
```

If you are thinking that Keras should contain a standardization layer like this one, here's some good news for you: by the time you read this, the `keras.layers.Normalization` layer will probably be available. It will work very much like our custom `Standardization` layer: first, create the layer, then adapt it to your dataset by passing a data sample to the `adapt()` method, and finally use the layer normally.

Now let's look at categorical features. We will start by encoding them as one-hot vectors.

Encoding Categorical Features Using One-Hot Vectors

Consider the `ocean_proximity` feature in the California housing dataset we explored earlier in this book: it is a categorical feature with five possible values: "<1H OCEAN", "INLAND", "NEAR OCEAN", "NEAR BAY", and "ISLAND". We need to encode this feature before we feed it to a neural network. Since there are very few categories, we can use one-hot encoding. For this, we first need to map each category to its index (0 to 4), which can be done using a lookup table:

```
vocab = ["<1H OCEAN", "INLAND", "NEAR OCEAN", "NEAR BAY", "ISLAND"]
indices = tf.range(len(vocab), dtype=tf.int64)
table_init = tf.lookup.KeyValueTensorInitializer(vocab, indices)
num_oov_buckets = 2
table = tf.lookup.StaticVocabularyTable(table_init, num_oov_buckets)
```

Let's go through this code:

- We first define the *vocabulary*: this is the list of all possible categories.
- Then we create a tensor with the corresponding indices (0 to 4).
- Next, we create an initializer for the lookup table, passing it the list of categories and their corresponding indices. In this example, we already have this data, so we use a `KeyValueTensorInitializer`; but if the categories were listed in a text file (with one category per line), we would use a `TextFileInitializer` instead.

- In the last two lines we create the lookup table, giving it the initializer and specifying the number of *out-of-vocabulary* (oov) buckets. If we look up a category that does not exist in the vocabulary, the lookup table will compute a hash of this category and use it to assign the unknown category to one of the oov buckets. Their indices start after the known categories, so in this example the indices of the two oov buckets are 5 and 6.

Why use oov buckets? Well, if the number of categories is large (e.g., zip codes, cities, words, products, or users) and the dataset is large as well, or it keeps changing, then getting the full list of categories may not be convenient. One solution is to define the vocabulary based on a data sample (rather than the whole training set) and add some oov buckets for the other categories that were not in the data sample. The more unknown categories you expect to find during training, the more oov buckets you should use. Indeed, if there are not enough oov buckets, there will be collisions: different categories will end up in the same bucket, so the neural network will not be able to distinguish them (at least not based on this feature).

Now let's use the lookup table to encode a small batch of categorical features to one-hot vectors:

```
>>> categories = tf.constant(["NEAR BAY", "DESERT", "INLAND", "INLAND"])
>>> cat_indices = table.lookup(categories)
>>> cat_indices
<tf.Tensor: id=514, shape=(4,), dtype=int64, numpy=array([3, 5, 1, 1])>
>>> cat_one_hot = tf.one_hot(cat_indices, depth=len(vocab) + num_oov_buckets)
>>> cat_one_hot
<tf.Tensor: id=524, shape=(4, 7), dtype=float32, numpy=
array([[0., 0., 0., 1., 0., 0., 0.],
       [0., 0., 0., 0., 0., 1., 0.],
       [0., 1., 0., 0., 0., 0., 0.],
       [0., 1., 0., 0., 0., 0., 0.]], dtype=float32)>
```

As you can see, "NEAR BAY" was mapped to index 3, the unknown category "DESERT" was mapped to one of the two oov buckets (at index 5), and "INLAND" was mapped to index 1, twice. Then we used `tf.one_hot()` to one-hot encode these indices. Notice that we have to tell this function the total number of indices, which is equal to the vocabulary size plus the number of oov buckets. Now you know how to encode categorical features to one-hot vectors using TensorFlow!

Just like earlier, it wouldn't be too difficult to bundle all of this logic into a nice self-contained class. Its `adapt()` method would take a data sample and extract all the distinct categories it contains. It would create a lookup table to map each category to its index (including unknown categories using oov buckets). Then its `call()` method would use the lookup table to map the input categories to their indices. Well, here's more good news: by the time you read this, Keras will probably include a layer called `keras.layers.TextVectorization`, which will be capable of doing exactly that: its

`adapt()` method will extract the vocabulary from a data sample, and its `call()` method will convert each category to its index in the vocabulary. You could add this layer at the beginning of your model, followed by a `Lambda` layer that would apply the `tf.one_hot()` function, if you want to convert these indices to one-hot vectors.

This may not be the best solution, though. The size of each one-hot vector is the vocabulary length plus the number of oov buckets. This is fine when there are just a few possible categories, but if the vocabulary is large, it is much more efficient to encode them using *embeddings* instead.



As a rule of thumb, if the number of categories is lower than 10, then one-hot encoding is generally the way to go (but your mileage may vary!). If the number of categories is greater than 50 (which is often the case when you use hash buckets), then embeddings are usually preferable. In between 10 and 50 categories, you may want to experiment with both options and see which one works best for your use case.

Encoding Categorical Features Using Embeddings

An embedding is a trainable dense vector that represents a category. By default, embeddings are initialized randomly, so for example the "NEAR BAY" category could be represented initially by a random vector such as $[0.131, 0.890]$, while the "NEAR OCEAN" category might be represented by another random vector such as $[0.631, 0.791]$. In this example, we use 2D embeddings, but the number of dimensions is a hyperparameter you can tweak. Since these embeddings are trainable, they will gradually improve during training; and as they represent fairly similar categories, Gradient Descent will certainly end up pushing them closer together, while it will tend to move them away from the "INLAND" category's embedding (see [Figure 1-4](#)). Indeed, the better the representation, the easier it will be for the neural network to make accurate predictions, so training tends to make embeddings useful representations of the categories. This is called *representation learning* (we will see other types of representation learning in a later chapter).




Figure 1-4. Embeddings will gradually improve during training

Word Embeddings

Not only will embeddings generally be useful representations for the task at hand, but quite often these same embeddings can be reused successfully for other tasks. The most common example of this is *word embeddings* (i.e., embeddings of individual words): when you are working on a natural language processing task, you are often better off reusing pretrained word embeddings than training your own.

The idea of using vectors to represent words dates back to the 1960s, and many sophisticated techniques have been used to generate useful vectors, including using neural networks. But things really took off in 2013, when Tomáš Mikolov and other Google researchers published a [paper](#)⁹ describing an efficient technique to learn word embeddings using neural networks, significantly outperforming previous attempts. This allowed them to learn embeddings on a very large corpus of text: they trained a neural network to predict the words near any given word, and obtained astounding word embeddings. For example, synonyms had very close embeddings, and semantically related words such as France, Spain, and Italy ended up clustered together.

It's not just about proximity, though: word embeddings were also organized along meaningful axes in the embedding space. Here is a famous example: if you compute $\text{King} - \text{Man} + \text{Woman}$ (adding and subtracting the embedding vectors of these words), then the result will be very close to the embedding of the word Queen (see [Figure 1-5](#)). In other words, the word embeddings encode the concept of gender! Similarly, you can compute $\text{Madrid} - \text{Spain} + \text{France}$, and the result is close to Paris, which seems to show that the notion of capital city was also encoded in the embeddings.

⁹ Tomas Mikolov et al., “Distributed Representations of Words and Phrases and Their Compositionality,” *Proceedings of the 26th International Conference on Neural Information Processing Systems 2* (2013): 3111–3119.




Figure 1-5. Word embeddings of similar words tend to be close, and some axes seem to encode meaningful concepts

Unfortunately, word embeddings sometimes capture our worst biases. For example, although they correctly learn that Man is to King as Woman is to Queen, they also seem to learn that Man is to Doctor as Woman is to Nurse: quite a sexist bias! To be fair, this particular example is probably exaggerated, as was pointed out in a [2019 paper](#)¹⁰ by Malvina Nissim et al. Nevertheless, ensuring fairness in Deep Learning algorithms is an important and active research topic.

Let's look at how we could implement embeddings manually, to understand how they work (then we will use a simple Keras layer instead). First, we need to create an *embedding matrix* containing each category's embedding, initialized randomly; it will have one row per category and per oov bucket, and one column per embedding dimension:

```
embedding_dim = 2
embed_init = tf.random.uniform([len(vocab) + num_oov_buckets, embedding_dim])
embedding_matrix = tf.Variable(embed_init)
```

In this example we are using 2D embeddings, but as a rule of thumb embeddings typically have 10 to 300 dimensions, depending on the task and the vocabulary size (you will have to tune this hyperparameter).

This embedding matrix is a random 6×2 matrix, stored in a variable (so it can be tweaked by Gradient Descent during training):

¹⁰ Malvina Nissim et al., "Fair Is Better Than Sensational: Man Is to Doctor as Woman Is to Doctor," arXiv pre-print arXiv:1905.09866 (2019).

```
>>> embedding_matrix
<tf.Variable 'Variable:0' shape=(6, 2) dtype=float32, numpy=
array([[0.6645621 , 0.44100678],
       [0.3528825 , 0.46448255],
       [0.03366041, 0.68467236],
       [0.74011743, 0.8724445 ],
       [0.22632635, 0.22319686],
       [0.3103881 , 0.7223358 ]], dtype=float32)>
```

Now let's encode the same batch of categorical features as earlier, but this time using these embeddings:

```
>>> categories = tf.constant(["NEAR BAY", "DESERT", "INLAND", "INLAND"])
>>> cat_indices = table.lookup(categories)
>>> cat_indices
<tf.Tensor: id=741, shape=(4,), dtype=int64, numpy=array([3, 5, 1, 1])>
>>> tf.nn.embedding_lookup(embedding_matrix, cat_indices)
<tf.Tensor: id=864, shape=(4, 2), dtype=float32, numpy=
array([[0.74011743, 0.8724445 ],
       [0.3103881 , 0.7223358 ],
       [0.3528825 , 0.46448255],
       [0.3528825 , 0.46448255]], dtype=float32)>
```

The `tf.nn.embedding_lookup()` function looks up the rows in the embedding matrix, at the given indices—that's all it does. For example, the lookup table says that the "INLAND" category is at index 1, so the `tf.nn.embedding_lookup()` function returns the embedding at row 1 in the embedding matrix (twice): `[0.3528825, 0.46448255]`.

Keras provides a `keras.layers.Embedding` layer that handles the embedding matrix (trainable, by default); when the layer is created it initializes the embedding matrix randomly, and then when it is called with some category indices it returns the rows at those indices in the embedding matrix:

```
>>> embedding = keras.layers.Embedding(input_dim=len(vocab) + num_oov_buckets,
...                                   output_dim=embedding_dim)
...
...
>>> embedding(cat_indices)
<tf.Tensor: id=814, shape=(4, 2), dtype=float32, numpy=
array([[ 0.02401174,  0.03724445],
       [-0.01896119,  0.02223358],
       [-0.01471175, -0.00355174],
       [-0.01471175, -0.00355174]], dtype=float32)>
```

Putting everything together, we can now create a Keras model that can process categorical features (along with regular numerical features) and learn an embedding for each category (as well as for each oov bucket):

```
regular_inputs = keras.layers.Input(shape=[8])
categories = keras.layers.Input(shape=[], dtype=tf.string)
cat_indices = keras.layers.Lambda(lambda cats: table.lookup(cats))(categories)
cat_embed = keras.layers.Embedding(input_dim=6, output_dim=2)(cat_indices)
```

```
encoded_inputs = keras.layers.concatenate([regular_inputs, cat_embed])
outputs = keras.layers.Dense(1)(encoded_inputs)
model = keras.models.Model(inputs=[regular_inputs, categories],
                           outputs=[outputs])
```

This model takes two inputs: a regular input containing eight numerical features per instance, plus a categorical input (containing one categorical feature per instance). It uses a `Lambda` layer to look up each category's index, then it looks up the embeddings for these indices. Next, it concatenates the embeddings and the regular inputs in order to give the encoded inputs, which are ready to be fed to a neural network. We could add any kind of neural network at this point, but we just add a dense output layer, and we create the Keras model.

When the `keras.layers.TextVectorization` layer is available, you can call its `adapt()` method to make it extract the vocabulary from a data sample (it will take care of creating the lookup table for you). Then you can add it to your model, and it will perform the index lookup (replacing the `Lambda` layer in the previous code example).



One-hot encoding followed by a `Dense` layer (with no activation function and no biases) is equivalent to an `Embedding` layer. However, the `Embedding` layer uses way fewer computations (the performance difference becomes clear when the size of the embedding matrix grows). The `Dense` layer's weight matrix plays the role of the embedding matrix. For example, using one-hot vectors of size 20 and a `Dense` layer with 10 units is equivalent to using an `Embedding` layer with `input_dim=20` and `output_dim=10`. As a result, it would be wasteful to use more embedding dimensions than the number of units in the layer that follows the `Embedding` layer.

Now let's look a bit more closely at the Keras preprocessing layers.

Keras Preprocessing Layers

The TensorFlow team is working on providing a set of standard **Keras preprocessing layers**. They will probably be available by the time you read this; however, the API may change slightly by then, so please refer to the notebook for this chapter if anything behaves unexpectedly. This new API will likely supersede the existing `Feature Columns` API, which is harder to use and less intuitive (if you want to learn more about the `Feature Columns` API anyway, please check out the notebook for this chapter).

We already discussed two of these layers: the `keras.layers.Normalization` layer that will perform feature standardization (it will be equivalent to the `Standardization` layer we defined earlier), and the `TextVectorization` layer that will be capable of

encoding each word in the inputs into its index in the vocabulary. In both cases, you create the layer, you call its `adapt()` method with a data sample, and then you use the layer normally in your model. The other preprocessing layers will follow the same pattern.

The API will also include a `keras.layers.Discretization` layer that will chop continuous data into different bins and encode each bin as a one-hot vector. For example, you could use it to discretize prices into three categories, (low, medium, high), which would be encoded as `[1, 0, 0]`, `[0, 1, 0]`, and `[0, 0, 1]`, respectively. Of course this loses a lot of information, but in some cases it can help the model detect patterns that would otherwise not be obvious when just looking at the continuous values.



The `Discretization` layer will not be differentiable, and it should only be used at the start of your model. Indeed, the model's preprocessing layers will be frozen during training, so their parameters will not be affected by Gradient Descent, and thus they do not need to be differentiable. This also means that you should not use an `Embedding` layer directly in a custom preprocessing layer, if you want it to be trainable: instead, it should be added separately to your model, as in the previous code example.

It will also be possible to chain multiple preprocessing layers using the `PreprocessingStage` class. For example, the following code will create a preprocessing pipeline that will first normalize the inputs, then discretize them (this may remind you of Scikit-Learn pipelines). After you adapt this pipeline to a data sample, you can use it like a regular layer in your models (but again, only at the start of the model, since it contains a nondifferentiable preprocessing layer):

```
normalization = keras.layers.Normalization()
discretization = keras.layers.Discretization([...])
pipeline = keras.layers.PreprocessingStage([normalization, discretization])
pipeline.adapt(data_sample)
```

The `TextVectorization` layer will also have an option to output word-count vectors instead of word indices. For example, if the vocabulary contains three words, say `["and", "basketball", "more"]`, then the text `"more and more"` will be mapped to the vector `[1, 0, 2]`: the word `"and"` appears once, the word `"basketball"` does not appear at all, and the word `"more"` appears twice. This text representation is called a *bag of words*, since it completely loses the order of the words. Common words like `"and"` will have a large value in most texts, even though they are usually the least interesting (e.g., in the text `"more and more basketball"` the word `"basketball"` is clearly the most important, precisely because it is not a very frequent word). So, the word counts should be normalized in a way that reduces the importance of frequent words. A common way to do this is to divide each word count by the log of the total

number of training instances in which the word appears. This technique is called *Term-Frequency × Inverse-Document-Frequency* (TF-IDF). For example, let's imagine that the words "and", "basketball", and "more" appear respectively in 200, 10, and 100 text instances in the training set: in this case, the final vector will be $[1/\log(200), 0/\log(10), 2/\log(100)]$, which is approximately equal to $[0.19, 0., 0.43]$. The `TextVectorization` layer will (likely) have an option to perform TF-IDF.



If the standard preprocessing layers are insufficient for your task, you will still have the option to create your own custom preprocessing layer, much like we did earlier with the `Standardization` class. Create a subclass of the `keras.layers.PreprocessingLayer` class with an `adapt()` method, which should take a `data_sample` argument and optionally an extra `reset_state` argument: if `True`, then the `adapt()` method should reset any existing state before computing the new state; if `False`, it should try to update the existing state.

As you can see, these Keras preprocessing layers will make preprocessing much easier! Now, whether you choose to write your own preprocessing layers or use Keras's (or even use the Feature Columns API), all the preprocessing will be done on the fly. During training, however, it may be preferable to perform preprocessing ahead of time. Let's see why we'd want to do that and how we'd go about it.

TF Transform

If preprocessing is computationally expensive, then handling it before training rather than on the fly may give you a significant speedup: the data will be preprocessed just once per instance *before* training, rather than once per instance and per epoch *during* training. As mentioned earlier, if the dataset is small enough to fit in RAM, you can use its `cache()` method. But if it is too large, then tools like Apache Beam or Spark will help. They let you run efficient data processing pipelines over large amounts of data, even distributed across multiple servers, so you can use them to preprocess all the training data before training.

This works great and indeed can speed up training, but there is one problem: once your model is trained, suppose you want to deploy it to a mobile app. In that case you will need to write some code in your app to take care of preprocessing the data before it is fed to the model. And suppose you also want to deploy the model to TensorFlow.js so that it runs in a web browser? Once again, you will need to write some preprocessing code. This can become a maintenance nightmare: whenever you want to change the preprocessing logic, you will need to update your Apache Beam code, your mobile app code, and your JavaScript code. This is not only time-consuming, but also error-prone: you may end up with subtle differences between the preprocess-

ing operations performed before training and the ones performed in your app or in the browser. This *training/serving skew* will lead to bugs or degraded performance.

One improvement would be to take the trained model (trained on data that was pre-processed by your Apache Beam or Spark code) and, before deploying it to your app or the browser, add extra preprocessing layers to take care of preprocessing on the fly. That's definitely better, since now you just have two versions of your preprocessing code: the Apache Beam or Spark code, and the preprocessing layers' code.

But what if you could define your preprocessing operations just once? This is what TF Transform was designed for. It is part of **TensorFlow Extended (TFX)**, an end-to-end platform for productionizing TensorFlow models. First, to use a TFX component such as TF Transform, you must install it; it does not come bundled with TensorFlow. You then define your preprocessing function just once (in Python), by using TF Transform functions for scaling, bucketizing, and more. You can also use any TensorFlow operation you need. Here is what this preprocessing function might look like if we just had two features:

```
import tensorflow_transform as tft

def preprocess(inputs): # inputs = a batch of input features
    median_age = inputs["housing_median_age"]
    ocean_proximity = inputs["ocean_proximity"]
    standardized_age = tft.scale_to_z_score(median_age)
    ocean_proximity_id = tft.compute_and_apply_vocabulary(ocean_proximity)
    return {
        "standardized_median_age": standardized_age,
        "ocean_proximity_id": ocean_proximity_id
    }
```

Next, TF Transform lets you apply this `preprocess()` function to the whole training set using Apache Beam (it provides an `AnalyzeAndTransformDataset` class that you can use for this purpose in your Apache Beam pipeline). In the process, it will also compute all the necessary statistics over the whole training set: in this example, the mean and standard deviation of the `housing_median_age` feature, and the vocabulary for the `ocean_proximity` feature. The components that compute these statistics are called *analyzers*.

Importantly, TF Transform will also generate an equivalent TensorFlow Function that you can plug into the model you deploy. This TF Function includes some constants that correspond to all the all the necessary statistics computed by Apache Beam (the mean, standard deviation, and vocabulary).

With the Data API, TFRecords, the Keras preprocessing layers, and TF Transform, you can build highly scalable input pipelines for training and benefit from fast and portable data preprocessing in production.

But what if you just wanted to use a standard dataset? Well in that case, things are much simpler: just use TFDS!

The TensorFlow Datasets (TFDS) Project

The **TensorFlow Datasets** project makes it very easy to download common datasets, from small ones like MNIST or Fashion MNIST to huge datasets like ImageNet (you will need quite a bit of disk space!). The list includes image datasets, text datasets (including translation datasets), and audio and video datasets. You can visit <https://homl.info/tfds> to view the full list, along with a description of each dataset.

TFDS is not bundled with TensorFlow, so you need to install the `tensorflow-datasets` library (e.g., using `pip`). Then call the `tfds.load()` function, and it will download the data you want (unless it was already downloaded earlier) and return the data as a dictionary of datasets (typically one for training and one for testing, but this depends on the dataset you choose). For example, let's download MNIST:

```
import tensorflow_datasets as tfds

dataset = tfds.load(name="mnist")
mnist_train, mnist_test = dataset["train"], dataset["test"]
```

You can then apply any transformation you want (typically shuffling, batching, and prefetching), and you're ready to train your model. Here is a simple example:

```
mnist_train = mnist_train.shuffle(10000).batch(32).prefetch(1)
for item in mnist_train:
    images = item["image"]
    labels = item["label"]
    [...]
```



The `load()` function shuffles each data shard it downloads (only for the training set). This may not be sufficient, so it's best to shuffle the training data some more.

Note that each item in the dataset is a dictionary containing both the features and the labels. But Keras expects each item to be a tuple containing two elements (again, the features and the labels). You could transform the dataset using the `map()` method, like this:

```
mnist_train = mnist_train.shuffle(10000).batch(32)
mnist_train = mnist_train.map(lambda items: (items["image"], items["label"]))
mnist_train = mnist_train.prefetch(1)
```

But it's simpler to ask the `load()` function to do this for you by setting `as_supervised=True` (obviously this works only for labeled datasets). You can also specify the batch size if you want. Then you can pass the dataset directly to your `tf.keras` model:

```
dataset = tfds.load(name="mnist", batch_size=32, as_supervised=True)
mnist_train = dataset["train"].prefetch(1)
model = keras.models.Sequential([...])
model.compile(loss="sparse_categorical_crossentropy", optimizer="sgd")
model.fit(mnist_train, epochs=5)
```

This was quite a technical chapter, and you may feel that it is a bit far from the abstract beauty of neural networks, but the fact is Deep Learning often involves large amounts of data, and knowing how to load, parse, and preprocess it efficiently is a crucial skill to have. In the next chapter, we will look at convolutional neural networks, which are among the most successful neural net architectures for image processing and many other applications.

Exercises

1. Why would you want to use the Data API?
2. What are the benefits of splitting a large dataset into multiple files?
3. During training, how can you tell that your input pipeline is the bottleneck? What can you do to fix it?
4. Can you save any binary data to a TFRecord file, or only serialized protocol buffers?
5. Why would you go through the hassle of converting all your data to the `Example` protobuf format? Why not use your own protobuf definition?
6. When using TFRecords, when would you want to activate compression? Why not do it systematically?
7. Data can be preprocessed directly when writing the data files, or within the `tf.data` pipeline, or in preprocessing layers within your model, or using `TF Transform`. Can you list a few pros and cons of each option?
8. Name a few common techniques you can use to encode categorical features. What about text?
9. Load the Fashion MNIST dataset (introduced earlier in this book); split it into a training set, a validation set, and a test set; shuffle the training set; and save each dataset to multiple TFRecord files. Each record should be a serialized `Example` protobuf with two features: the serialized image (use `tf.io.serialize_tensor()`)

to serialize each image), and the label.¹¹ Then use `tf.data` to create an efficient dataset for each set. Finally, use a Keras model to train these datasets, including a preprocessing layer to standardize each input feature. Try to make the input pipeline as efficient as possible, using TensorBoard to visualize profiling data.

10. In this exercise you will download a dataset, split it, create a `tf.data.Dataset` to load it and preprocess it efficiently, then build and train a binary classification model containing an `Embedding` layer:
 - a. Download the [Large Movie Review Dataset](#), which contains 50,000 movie reviews from the [Internet Movie Database](#). The data is organized in two directories, *train* and *test*, each containing a *pos* subdirectory with 12,500 positive reviews and a *neg* subdirectory with 12,500 negative reviews. Each review is stored in a separate text file. There are other files and folders (including preprocessed bag-of-words), but we will ignore them in this exercise.
 - b. Split the test set into a validation set (15,000) and a test set (10,000).
 - c. Use `tf.data` to create an efficient dataset for each set.
 - d. Create a binary classification model, using a `TextVectorization` layer to preprocess each review. If the `TextVectorization` layer is not yet available (or if you like a challenge), try to create your own custom preprocessing layer: you can use the functions in the `tf.strings` package, for example `lower()` to make everything lowercase, `regex_replace()` to replace punctuation with spaces, and `split()` to split words on spaces. You should use a lookup table to output word indices, which must be prepared in the `adapt()` method.
 - e. Add an `Embedding` layer and compute the mean embedding for each review, multiplied by the square root of the number of words. This rescaled mean embedding can then be passed to the rest of your model.
 - f. Train the model and see what accuracy you get. Try to optimize your pipelines to make training as fast as possible.
 - g. Use TFDS to load the same dataset more easily: `tfds.load("imdb_reviews")`.

¹¹ For large images, you could use `tf.io.encode_jpeg()` instead. This would save a lot of space, but it would lose a bit of image quality.

About the Author

Aurélien Géron is a Machine Learning consultant and lecturer. A former Googler, he led YouTube's video classification team from 2013 to 2016. He's been a founder of and CTO at a few different companies: Wifirst, a leading wireless ISP in France; Polyconseil, a consulting firm focused on telecoms, media, and strategy; and Kiwisoft, a consulting firm focused on Machine Learning and data privacy.

Before all that he worked as an engineer in a variety of domains: finance (JP Morgan and Société Générale), defense (Canada's DOD), and healthcare (blood transfusion). He also published a few technical books (on C++, WiFi, and internet architectures) and lectured about computer science at a French engineering school.

A few fun facts: he taught his three children to count in binary with their fingers (up to 1,023), he studied microbiology and evolutionary genetics before going into software engineering, and his parachute didn't open on the second jump.

Colophon

The animal on the cover of *Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow* is the fire salamander (*Salamandra salamandra*), an amphibian found across most of Europe. Its black, glossy skin features large yellow spots on the head and back, signaling the presence of alkaloid toxins. This is a possible source of this amphibian's common name: contact with these toxins (which they can also spray short distances) causes convulsions and hyperventilation. Either the painful poisons or the moistness of the salamander's skin (or both) led to a misguided belief that these creatures not only could survive being placed in fire but could extinguish it as well.

Fire salamanders live in shaded forests, hiding in moist crevices and under logs near the pools or other freshwater bodies that facilitate their breeding. Though they spend most of their lives on land, they give birth to their young in water. They subsist mostly on a diet of insects, spiders, slugs, and worms. Fire salamanders can grow up to a foot in length, and in captivity may live as long as 50 years.

The fire salamander's numbers have been reduced by destruction of their forest habitat and capture for the pet trade, but the greatest threat they face is the susceptibility of their moisture-permeable skin to pollutants and microbes. Since 2014, they have become extinct in parts of the Netherlands and Belgium due to an introduced fungus.

Many of the animals on O'Reilly covers are endangered; all of them are important to the world. The cover illustration is by Karen Montgomery, based on an engraving from *Wood's Illustrated Natural History*. The cover fonts are URW Typewriter and Guardian Sans. The text font is Adobe Minion Pro; the heading font is Adobe Myriad Condensed; and the code font is Dalton Maag's Ubuntu Mono.